

TABLE S48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, State government, 2009

Nature	Nature code ²	State government ³	Summary occupational groups									
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Total		75,840	2,680	14,750	40,520	510	5,440	580	4,300	2,430	770	3,730
Traumatic injuries and disorders ...	0	71,250	2,360	13,950	38,460	490	4,740	450	3,980	2,330	750	3,620
Traumatic injuries and disorders, unspecified	00	3,110	140	700	1,550	20	370	20	110	80	—	120
Traumatic injuries to bones, nerves, spinal cord	01	3,930	310	970	1,530	40	460	—	240	210	20	120
Dislocations	011	500	20	110	190	—	120	—	50	—	—	—
Fractures	012	3,280	280	850	1,280	40	290	—	190	190	20	110
Traumatic injuries to nerves, except the spinal cord	014	20	—	—	—	—	—	—	—	—	—	—
Multiple traumatic injuries to bones nerves, spinal cord	018	120	—	—	50	—	40	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	30,360	750	5,310	16,960	210	1,680	190	2,140	1,160	300	1,630
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	020	350	—	70	260	—	—	—	—	—	—	—
Sprains, strains, tears	021	29,830	740	5,230	16,590	210	1,660	180	2,110	1,150	290	1,630
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	180	—	20	120	—	—	—	20	—	—	—
Open wounds	03	2,870	120	570	1,260	40	110	20	270	170	40	260
Open wounds, unspecified	030	30	—	20	—	—	—	—	—	—	—	—
Amputations	031	70	—	—	30	—	—	—	20	—	—	—
Amputations, fingertip	0311	30	—	—	20	—	—	—	—	—	—	—
Amputations, except fingertip	0319	40	—	—	—	—	—	—	20	—	—	—
Animal or insect bites	032	310	—	160	120	—	—	—	—	—	—	—
Avulsions	033	60	—	40	—	—	—	—	—	—	—	—
Cuts, lacerations	034	2,050	110	250	900	40	50	—	240	150	30	250
Punctures, except bites	037	340	—	90	200	—	20	—	—	—	—	—
Surface wounds and bruises	04	11,100	270	2,780	5,400	120	690	150	540	310	40	780
Abrasions, scratches	041	810	—	370	230	—	30	—	40	30	—	80
Bruises, contusions	043	9,890	250	2,390	5,010	70	660	140	430	220	30	660
Foreign bodies (superficial splinters, chips)	044	330	—	—	90	—	—	—	60	60	—	40
Multiple surface wounds and bruises	048	30	—	—	20	—	—	—	—	—	—	—
Surface wounds and bruises, n.e.c.	049	30	—	—	30	—	—	—	—	—	—	—
Burns	05	620	—	70	310	—	—	—	40	30	70	90
Chemical burns	051	120	—	50	60	—	—	—	—	—	—	—
Electrical burns	052	40	—	—	—	—	—	—	—	—	—	—
Heat burns, scalds	053	460	—	—	230	—	—	—	20	30	60	80
Intracranial injuries	06	560	230	80	190	—	—	—	—	—	—	30
Concussions	062	550	230	80	180	—	—	—	—	—	—	30

See footnotes at end of table.

TABLE S48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, State government, 2009 — Continued

Nature	Nature code ²	State government ³	Summary occupational groups									
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Effects of environmental conditions	07	110	—	20	20	—	—	—	60	—	—	—
Effects of reduced temperature	071	20	—	—	20	—	—	—	—	—	—	—
Effects of heat and light	072	90	—	20	—	—	—	—	60	—	—	—
Heat fatigue	0723	60	—	—	—	—	—	—	—	—	—	—
Effects of heat and light, n.e.c.	0729	20	—	—	—	—	—	—	20	—	—	—
Multiple traumatic injuries and disorders	08	4,410	210	1,150	2,230	—	350	30	190	140	20	90
Multiple traumatic injuries and disorders, unspecified	080	250	—	50	150	—	40	—	—	—	—	—
Cuts, abrasions, bruises	081	600	50	70	320	—	20	—	40	70	—	20
Sprains and bruises	082	2,330	110	750	1,100	—	170	—	90	50	—	40
Fractures and burns	083	100	—	—	100	—	—	—	—	—	—	—
Fractures and other injuries	084	360	—	130	140	—	40	—	30	—	—	—
Other combinations of traumatic injuries and disorders, n.e.c.	089	770	40	160	420	—	90	—	30	—	—	—
Other traumatic injuries and disorders	09	14,180	340	2,300	9,010	60	1,050	40	400	230	250	490
Asphyxiations/strangulations, suffocations	091	120	—	—	—	—	110	—	—	—	—	—
Electrocutions, electric shocks ...	093	60	—	—	30	—	—	—	—	—	—	—
Other poisonings and toxic effects	095	420	—	60	250	—	20	—	—	—	—	20
Animal or insect bites and stings, venomous	0951	270	—	50	160	—	—	—	—	—	—	—
Other poisonings and toxic effects, n.e.c.	0959	140	—	—	90	—	—	—	—	—	—	—
Nonspecified injuries and disorders	097	13,510	330	2,210	8,690	60	910	20	350	210	240	460
Crushing injuries	0971	450	—	20	250	—	—	—	90	20	—	50
Back pain, hurt back	0972	2,880	140	420	1,810	—	100	—	130	30	130	100
Soreness, pain, hurt, except the back	0973	8,410	150	1,410	5,640	40	580	—	120	140	100	230
Multiple nonspecified injuries and disorders	0978	1,160	30	210	630	—	170	—	—	20	—	70
Nonspecified injuries and disorders, n.e.c.	0979	600	—	150	360	—	—	—	—	—	—	20
Other traumatic injuries and disorders, n.e.c.	099	60	—	—	40	—	—	—	—	—	—	—
Systemic diseases and disorders ..	1	2,150	210	280	880	20	390	—	270	60	—	40
Systemic diseases and disorders, unspecified	10	30	—	—	—	—	—	—	—	—	—	—
Nervous system and sense organs diseases	12	700	120	130	150	—	190	—	70	20	—	—

See footnotes at end of table.

TABLE S48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, State government, 2009 — Continued

Nature	Nature code ²	State government ³	Summary occupational groups									
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Disorders of the peripheral nervous system	124	640	120	120	130	—	190	—	70	—	—	—
Carpal tunnel syndrome	1241	620	110	100	130	—	180	—	70	—	—	—
Disorders of the eye, adnexa, vision	125	50	—	20	20	—	—	—	—	—	—	—
Conjunctivitis non-viral	1252	40	—	20	20	—	—	—	—	—	—	—
Circulatory system diseases	13	120	—	30	90	—	—	—	—	—	—	—
Hypertensive disease	132	80	—	—	70	—	—	—	—	—	—	—
Respiratory system diseases	14	110	—	—	90	—	—	—	—	—	—	—
Pneumonia, influenza	143	70	—	—	70	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions ...	144	20	—	—	—	—	—	—	—	—	—	—
Digestive system diseases and disorders	15	440	—	—	180	—	70	—	100	30	—	20
Hernia	153	440	—	—	180	—	70	—	100	30	—	20
Hernia, unspecified	1530	130	—	—	80	—	—	—	30	—	—	—
Inguinal hernia	1531	240	—	—	70	—	70	—	40	20	—	—
Hernia, n.e.c.	1539	50	—	—	—	—	—	—	30	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	17	400	50	40	180	—	110	—	—	—	—	—
Dorsopathies	172	80	—	—	50	—	—	—	—	—	—	—
Sciatica	1721	20	—	—	—	—	—	—	—	—	—	—
Dorsopathies, n.e.c.	1729	50	—	—	40	—	—	—	—	—	—	—
Rheumatism, except the back ...	173	320	50	30	130	—	100	—	—	—	—	—
Tendonitis	1733	100	—	20	40	—	30	—	—	—	—	—
Tenosynovitis	1734	40	—	—	30	—	—	—	—	—	—	—
Rheumatism, except the back, n.e.c.	1739	160	30	—	60	—	60	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	18	350	—	50	180	—	—	—	90	—	—	—
Infections of the skin and subcutaneous tissue	181	100	—	—	80	—	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue, unspecified	1810	60	—	—	50	—	—	—	—	—	—	—
Cellulitis and abscess	1812	20	—	—	20	—	—	—	—	—	—	—
Dermatitis	182	230	—	40	80	—	—	—	90	—	—	—
Dermatitis, unspecified	1820	30	—	—	—	—	—	—	—	—	—	—
Contact dermatitis, unspecified	1822	20	—	—	20	—	—	—	—	—	—	—
Allergic contact dermatitis	1823	130	—	30	—	—	—	—	90	—	—	—
Irritant contact dermatitis	1824	30	—	—	—	—	—	—	—	—	—	—
Infectious and parasitic diseases ..	2	200	—	80	120	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, State government, 2009 — Continued

Nature	Nature code ²	State government ³	Summary occupational groups									
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Bacterial diseases	21	60	—	—	40	—	—	—	—	—	—	—
Other bacterial diseases	219	40	—	—	40	—	—	—	—	—	—	—
Other bacterial diseases, n.e.c.	2199	40	—	—	40	—	—	—	—	—	—	—
Viral diseases	22	80	—	30	50	—	—	—	—	—	—	—
Viral diseases, unspecified	220	40	—	—	40	—	—	—	—	—	—	—
Viral diseases of the conjunctiva	226	40	—	30	20	—	—	—	—	—	—	—
Viral conjunctivitis (ophthalmia)	2262	40	—	30	20	—	—	—	—	—	—	—
Other arthropod-borne diseases	23	20	—	—	—	—	—	—	—	—	—	—
Other infectious and parasitic diseases	29	30	—	20	—	—	—	—	—	—	—	—
Acariasis (including scabies, chiggers, mites)	294	30	—	—	—	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	4	1,120	80	170	590	—	230	—	—	20	—	20
Symptoms	41	1,070	80	150	590	—	210	—	—	20	—	20
General symptoms	411	340	60	70	150	—	40	—	—	—	—	—
General symptoms, unspecified	4110	30	—	—	20	—	—	—	—	—	—	—
Loss of consciousness not heat related	4111	80	30	—	—	—	20	—	—	—	—	—
Dizziness	4114	30	—	20	—	—	—	—	—	—	—	—
Non-specified allergic reaction	4115	60	—	20	30	—	—	—	—	—	—	—
Multiple general symptoms	4118	20	—	20	—	—	—	—	—	—	—	—
General symptoms, n.e.c.	4119	120	—	—	80	—	20	—	—	—	—	—
Symptoms involving skin and other integumentary tissue	413	330	—	20	290	—	—	—	—	—	—	—
Edema (including dropsy)	4131	300	—	20	270	—	—	—	—	—	—	—
Symptoms involving head and neck	414	30	—	—	30	—	—	—	—	—	—	—
Headache, except migraine ...	4141	20	—	—	—	—	—	—	—	—	—	—
Symptoms involving head and neck, n.e.c.	4149	20	—	—	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	416	300	—	50	100	—	120	—	—	20	—	—
Symptoms involving respiratory system and chest, unspecified	4160	70	—	20	40	—	—	—	—	—	—	—
Chest pain	4164	170	—	—	50	—	100	—	—	—	—	—
Multiple symptoms involving respiratory system and chest	4168	20	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, State government, 2009 — Continued

Nature	Nature code ²	State government ³	Summary occupational groups									
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Symptoms involving respiratory system and chest, n.e.c.	4169	40	—	—	—	—	20	—	—	—	—	—
Multiple symptoms	418	30	—	—	—	—	30	—	—	—	—	—
Other symptoms, n.e.c.	419	20	—	—	—	—	—	—	—	—	—	—
Abnormal findings	42	20	—	—	—	—	—	—	—	—	—	—
Abnormal findings from histological and immunological studies	426	20	—	—	—	—	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	48	20	—	—	—	—	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	489	20	—	—	—	—	—	—	—	—	—	—
Other diseases, conditions, and disorders	5	760	20	260	330	—	50	20	30	—	—	50
Mental disorders or syndromes	52	740	—	260	310	—	50	20	—	—	—	50
Anxiety, stress, neurotic disorders	521	740	—	260	310	—	50	20	—	—	—	50
Anxiety, stress, neurotic disorders, unspecified	5210	290	—	120	120	—	—	—	—	—	—	—
Post-traumatic anxiety acute	5211	180	—	—	110	—	—	—	—	—	—	50
Neurotic reaction to stress	5214	230	—	130	60	—	20	—	—	—	—	—
Multiple anxiety, stress, neurotic disorders	5218	40	—	—	20	—	—	—	—	—	—	—
Multiple diseases, conditions, and disorders	8	160	—	—	20	—	—	—	—	—	—	—
Nonclassifiable	9999	120	—	20	60	—	20	—	—	—	—	—

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies